

Agrow-Clean™ Whole Farm Treatment System

Proxy-Clean® and Stenner have
partnered to provide the grower
with a top of the line water
treatment system



Unique Features

- Lockable programming with password protection
- Heavy duty splined shaft - Why is this important?

A regular shaft can wear and cause a wobble in the roller mechanism which can cause the loss of prime or the inability to prime

- Built in leak detection and automatic shutdown
- It has a tube timer to remind the grower when to change the tube
- Built in signal repeater to run to controller or another pump

Reliable

- Water and UV resistant and meets IEC specification IP65
- Rated for outdoor use with fully enclosed housing
- Brushless motor with ball bearings rated for long term use
- Econ and Integrator pumps come with a 1 year warranty, the Agrow-Clean™ comes with a 2 year warranty
- The heavy duty tube only needs to be changed about every 6 months (vs every 30 to 60 days)



Versatile

- Does not lose prime when in standby mode or when changing chemicals
- Easy on/standby mode
- It works with any existing pulse output water meter
- No vapor lock and suitable for off gassing applications
- Is not affected by back pressure
- Anti-Siphon design
- Can treat up to 315,000 gallons of water per day at 50 ppm H₂O₂



Affordable

- Treat the entire farm with 1 pump
- Run multiple pumps (chemicals) off one water meter
- Reduce labor costs by not having to make stock solutions
- Precise chemical metering



Large control panel with buttons spaced to provide easier operation and programming



Our new 5 gallon containers also make the set up and continued use of the Agrow-Clean™ system easily manageable

